

NRP INDUSTRIAL SUPPLY CO.,LTD
919/63 Moo 12 Tungsukhla Sub-District , Sriracha District Chonburi 20230 Thailand
Tel 086-564-2251 Email nrp@nrpindustrial.com
WWW.NRPSUPPLY.COM

NRP INDUSTRIAL SUPPLY CO.,LTD

Email: nrp@nrpindustrial.com WWW.NRPSUPPLY.COM

SCAFFOLD SHEETING -FR

Scaffold sheeting fire retardant type.

Winco Tarp is reinforced poly tarpaulins with HDPE Weaving fabric laminated with LDPE on both sides. Webbing band with pre-punched hole on fabric.

SPECS & TECHNICAL DATA

Product : Fire retardant scaffold sheeting
Material: 100% Virgin PE Resin (HDPE and LDPE)
Weight Range: 70gsm to over 400gsm
Specification : Width 1.0 m – 4 m as per customers requirement.
Treatment : UV Treated or as per customers requirement.
Surface Dealing : LDPE laminated both side or as per customers requirement
Weave Count: per square inch mesh
Additives (Optional): UV inhibitor and Flame Retardant added to spec
Mesh: 3x3/square inch etc. or as per customers requirement.
Color: White, clear, green clear is non fire retardant
FR Grade FR -5, FR-6, NFPA-701
Reinforced Band: blue, white, red as so on.
Packing : Roll – up Tarp , Pack on paper tubes and wrap in a tarpaulin fabric.

Application:

Scaffold sheeting is a temporary, general purpose, containment and /or weather protection system. Designed for all frame and tubular scaffold systems. Fixing Strips can be installed horizontally or vertically.

With a reinforced composite construction that combines superior tensile strength characteristics with puncture and tear resistance.

Features and Benefits

Improve weather resistance:

- 1.The effects of high winds are greatly reduced due to the closely woven mesh constructions.
2. Idea product for exposed site locations
3. Protection of work surfaces and working environment against the elements, including rain, sleet & snow, dust and sandstorms.

[Type here]

NRP INDUSTRIAL SUPPLY CO.,LTD
919/63 Moo 12 Tungsohkhla Sub-District , Sriracha District Chonburi 20230 Thailand
Tel 086-564-2251 Email nrp@nrpindustrial.com
WWW.NRPSUPPLY.COM

4. Improves airflow and ventilation in hot and humid conditions.
5. Provides a means of controlling temperature and humidity of work areas.
6. Enhanced site safe by reducing the risk of debris and other small objects falling outside the scaffold.
7. Unaffected by mild acids or alkalis and does not support bacterial, fungal or organic growth.

We can offer scaffold sheeting with the additional strength band with eye holes. The reinforced eyelet bands are laminated onto the sheeting and provide a quick, safe and secure method of installation by fastening the sheeting to scaffolding.

Improve productivity

- 1.For industrial painting solvents are readily dispersed.
- 2.Improve dry times
- 3.For abrasive blasting, air flow inside without dust extraction



[Type here]

NRP INDUSTRIAL SUPPLY CO.,LTD
919/63 Moo 12 Tungsukhla Sub-District , Sriracha District Chonburi 20230 Thailand
Tel 086-564-2251 Email nrp@nrpindustrial.com
WWW.NRPSUPPLY.COM

PRODUCTION PROCESS.



[Type here]

NRP INDUSTRIAL SUPPLY CO.,LTD
919/63 Moo 12 Tungsukhla Sub-District , Sriracha District Chonburi 20230 Thailand
Tel 086-564-2251 Email nrp@nrpindustrial.com
WWW.NRPSUPPLY.COM



PACKING



[Type here]